



Small Enough to Care. Big Enough to Serve.

Who We Are

Manufacturers of High Quality Polyethylene Can Liners and Plastic Bags

Our Company

- Founded by James Popela
- Serving the can liner needs of distributors since 1986
- Committed to providing a rewarding work environment for our employees

Our Focus

- We strive to provide our customers with quality and costcompetitive products
- We adapt to our customers' needs and build lasting partnerships
- We exceed customers' expectations through support and service

Our Values

- Safe work environment
- Highest quality raw materials and quality standards
- Continuous improvements in the production process
- Passion for our business

Table of Contents

How to Shop Our Catalog	2
Item Options for Ordering Accurately	
Useful Information – How to Measure Container	
Useful Information – Can Liner Guide	
Useful Information – Sizing Guide	5
Useful Information – Bottom Seals	5
Product Labels	6
Private Labels	6
Company Information	7
TruFit Series	8
Premium LLD (clear)	
Premium LLD (black & white)	10
Recycled PGB Series	11
Recycled T Series	12
Premium HDPE (natural), Premium HDPE (black)	13
Value HDPE (natural)	14
RCoEx, Blue Recycle Series, and Specialty Bags	15
Medical Liners	16
Biodegradable Liners	17
Noramco Tuff Contractor Bags	18
HDPE / LLDPE Custom Capabilities	19

How to shop our catalog

Here's what you need to know

We take pride in offering a full product line for any application. From high density and linear low density trash bags, to poly food bags, biodegradable liners, and custom products, we offer a wide variety to satisfy even the most demanding needs of our customers.






Wide Variety. National Support.



Our Products

- Commercial Can Liners
- Drum Liners
- Box Liners
- Gaylord Liners
- Pallet Covers
- Poly Food Bags
- Bun Rack Covers
- Contractor Bags
- Medical Bags
- Biodegradable Can Liners
- Tubing
- CF Sheeting
- And More!



STEP 1: Measure Your Container for Best Fitting Liner

Measure Your Container for Best Fitting Liner*

Square container:


Measure all 4 sides Measure the base diagonal Measure the vertical length **Round container:** Measure the base and top diameters

Measure the vertical length


Calculate the Liner Size

Square container:

Liner width = sum of all 4 sides \div 2 Linear length = container length + (base diagonal \div 2) + 4" **Round container:** Linear width = (top diameter x 3.14) \div 2 Linear length = container length + (base diameter \div 2) + 4




*This formula builds in overhang Measurement in inches



With these dimensions, you are ready to choose the right bag width/length.









Sizing Guide

Determine the average amount of weight that is being put into the container. Use chart below to determine the gauge.

HIG	H DENSITY	LINEAR L	OW DENSITY
Micron	Max Load	Recyc	led Blend
6	15 lbs	Gauge	Max Load
8	20 lbs	PGE	3 Series
10	30 lbs	1.00	65 lbs
13	50 lbs	1.25	75 lbs
14	55 lbs	1.50	80 lbs
16	70 lbs	2.00	95 lbs
17	75 lbs	T Ba	g Series
19	80 lbs	— Н	65 lbs
22	85 lbs	XH	75 lbs
		XXH	85 lbs

LINEAR LO	W DENSITY
All Virgin S	eries Liners
Gauge	Max Load
 0.35	10 lbs
0.60	40 lbs
 0.70	50 lbs
 0.80	60 lbs
 0.90	75 lbs
 1.00	85 lbs
1.30	100 lbs
 1.50	110 lbs
 1.70	125 lbs
 2.20	150 lbs

LINEAR LOW DENSITY

Co-extruded									
Gauge	Max Load								
XH	75 lbs								
XXH	90 lbs								

Can Liner Formula

Linear Low Density

Length x Width x Gauge (in mils) \div 15 \div 1000 x bags per case = case weight

High Density

Length x Width x Gauge (in microns) \div 15 \div 25.4 \div 1000 x bags per case = case weight

Microns to Mils Formula

Divide the microns by 25.4 to arrive at mil thickness.

Mils to Microns Formula

Multiply the mils by 25.4 to arrive at mic thickness.

Mil Thickness	.23	.27	.31	35	.39	.43	.47	.51	.55	.59	.62	.66	.70	.74	.78	.82	.86	.90	.94	.98	1.00
Micron Equivalent	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	25.4

Bottom Seals



High Performance Star Seal

- Most common type
- Eliminates gaps where leaks can occur
- Distributes weight evenly
- Maximizes carrying capacity
- Sized in two dimensions Example: 38 x 58

Most stock products have Star Seal, which offers the strongest support and leak resistance. Heavy duty or specialty custom products can be made with Gusset or Flat Seal.



Flat Seal

- Potential to leak liquids from the corners
- Do not conform as well to the shape of can
- Sized in two dimensions Example: 38 x 58



Gusset Seal


Flat-style bag design

Both sides tucked in to form gussets

- Sealed through four layers of film (the middle of the bag has only two sealed layers)
- Sized in three dimensions Example: 23 x 17 x 46

NORAMCO

Easy Labeling System



Private Label Make your company stand out with a private label.

- 35 case minimum for private label
- Small up-charge for multi-color print
- Available in black and white or multi-color
- Sinai up-charge for multi-color print



Submit your company logo, artwork and desired text

Case# 9991	YOUR	LOGO HERE	PHONE: 123-456-5985 FAX: 123-456-5810					
		BP4	103					
	SIZE 40) X 50	COLOR BLACK					
12013	QTY 100	USE XXHEAVY		CAP 55 GAL				
Sep/19/2013								





Our Commitment

Customer Support Our team of dedicated inside sales specialists and regional representatives will ensure you get the support and coverage you need.

Flexibility We take pride in meeting our customers' unique needs. We offer low minimums and quick turnaround.

Stability As a privately owned company, we cut red tape and remain a reliable supplier to regional and national distributors.

Sustainability We are proud to offer a variety of commercial can liners that are certified for recycled content, in addition to a full line of biodegradable trash bags. Let's be smart about recycling and reducing waste.

Education It's not rocket science, but there are some fundamentals in selling trash bags and increasing your profits. Let us help you be the expert!

Though we have grown over the years, we have never forgotten our humble beginnings. We invest heavily into improving our service and production process, but still maintain our headquarters at the building where James Popela started some 30 years ago.





Ordering

- Special runs available with 1,200 lb minimum per SKU
- Average lead time is 10-14 days on stock items, and may be longer for custom items
- Orders are preferred in multiples of seven for better pallet configuration
- HDPE liners are on coreless mini rolls: Some can be folded, but minimum and price adjustments apply
- LLDPE and Repro can be folded or coreless
- EDI Compliant
- 250 case minimum for prepaid freight
- Private Label Opportunities

Box and pallet information

- Virgin HDPE and LLDPE liners are packed in a plain white box
- Repro and Biodegradable liners are packed in a brown "earth-friendly" box
- Boxes are stacked seven per layer
- All pallets are shrink wrapped
- Wrap-around labels available upon request
- All labels are visible from the outside

Terms and conditons

- Invoices that are not paid 31 days after the original invoice date (except for special terms) are subject to service charges of 1% per month (12% per year).
- Specials and/or custom orders are non-returnable except for damaged or defective products.
- Prices are subject to change without notice.
- North American Plastics reserves the right to reject any order.
- Consult your sales rep or call us for more information.

Key contacts

- James Popela, CEO
- Steve Marcum, VP of Operations smarcum@noramcobag.com
- Tom Nichols, Sales Manager tom.nichols@noramcobag.com
- Steve Pettrey, Sales Representative steve.pettrey@noramcobag.com
- James Keaton, CFO james.keaton@noramcobag.com



TRUBIO

TruBio Can Liners

Right fit Reuse Reduce Recycle

Better Products for a Better Future

TruBio Series bags are our more eco-friendly liners designed to fit and stretch among the four most common receptacle sizes. Save time, money, and be more socially responsible, by buying only what you need and not spending extra on what you don't.



Power and Benefits of EcoGrade:



More sustainable vs conventional plastic (due to composition) It contains over 90% renewable (sustainable) components, whereas conventional plastic is made entirely of nonrenewable, petroleumderived components

Create less greenhouse gases (based on replacing petroleum plastic) 50% ECOgrade and 50% HDPE can reduce greenhouse gas by approximately **42%**

42%

Photodegradable after use Complete degradation after 240 days

90%

Can be recycled after use with sustainable materials

Approximately **90%** of EcoGrade is sustainable materials, including calcium carbonate, starch, processed sugarcane hulls, beeswax, water, and a carrier polymer

Eco-Friendly Option

Our TruBio can liners use ECOgrade, a member of a new, sustainable material family that can replace a portion of common plastic to make can liners that function like plastic are also more sustainable, have a lower carbon footprint, can be completely recycled, and have safer disposal options.

ECOgrade materials are manufactured using a proprietary process by Noramco, a US-based company.



Benefits of ECOgrade

 Start with:

 Mineral-based resin ▶ Reduces petroleum plastic ▶ Lower GHG components

 Work with:

 High-quality, durable, economical can liners

 End with:

 Degradable ▶ Recyclable ▶ Cleaner disposal options



TruBio Liners

North American Plastics is proud to introduce a series of Biodegradable can liners to satisfy the environmental needs of our customers. In a world filled with waste and byproducts of human consumption, we believe reducing the negative footprint of our products on the environment by offering eco-friendly bags, is simply the right thing to do. Please see our flier for more details.

High Density Biodegradable Liners											
ITEM NUMBER		BAG	CASE	SKID							
GREEN	SIZE	GAUGE	COUNT	COUNT							
HDCW24336G	24 x 33	6 micron	1000	70							
HDCW303710G	30 x 37	10 micron	500	70							
HDCW374615G	37 x 46	15 micron	250	56							
HDCW404816G	40 x 48	16 micron	250	56							
HDCW385816G	38 x 58	16 micron	200	56							
HDCW434816G	43 x 48	16 micron	200	70							
	ITEM NUMBER GREEN HDCW24336G HDCW303710G HDCW374615G HDCW404816G HDCW404816G	ITEM NUMBER SIZE GREEN SIZE HDCW24336G 24 x 33 HDCW303710G 30 x 37 HDCW374615G 37 x 46 HDCW404816G 40 x 48 HDCW385816G 38 x 58	ITEM NUMBER BAG GREEN SIZE GAUGE HDCW24336G 24 x 33 6 micron HDCW303710G 30 x 37 10 micron HDCW374615G 37 x 46 15 micron HDCW404816G 40 x 48 16 micron HDCW385816G 38 x 58 16 micron	ITEM NUMBER GREEN BAG SIZE CASE COUNT HDCW24336G 24 x 33 6 micron 1000 HDCW303710G 30 x 37 10 micron 500 HDCW374615G 37 x 46 15 micron 250 HDCW404816G 40 x 48 16 micron 250 HDCW385816G 38 x 58 16 micron 200							

Low Density Biodegradable Liners

ITEM NUMBER	ITEM NUMBER		BAG	CASE	SKID
CLEAR	GREEN	SIZE	GAUGE	COUNT	COUNT
LDCW2432HVYC	LDCW2432HVYG	24 x 32	0.6 mil	500	70
LDCW3036HVYC	LDCW3036HVYG	30 x 36	0.6 mil	250	91
LDCW3339HVYC	LDCW3339HVYG	33 x 39	0.8 mil	250	77
LDCW3746XHVYC	LDCW3746XHVYG	37 x 46	1.0 mil	100	84
LDCW4046XHVYC	LDCW4046XHVYG	40 x 46	1.2 mil	100	70
LDCW4347XHVYC	LDCW4347XHVYG	43 x 47	1.2 mil	100	70
LDCW3858XHVYC	LDCW3858XHVYG	38 x 58	1.2 mil	100	77
LDCW2432XHVYC	LDCW2432XHVYG	24 x 32	1.0 mil	500	56
LDCW3036XHVYC	LDCW3036XHVYG	30 x 36	1.0 mil	250	77
LDCW3339XHVYC	LDCW3339XHVYG	33 x 39	1.2 mil	250	91
LDCW3746XXHVYC	LDCW3746XXHVYG	37 x 46	1.7 mil	100	63
LDCW4046XXHVYC	LDCW4046XXHVYG	40 x 46	1.7 mil	100	63
LDCW4347XXHVYC	LDCW4347XXHVYG	43 x 47	1.7 mil	100	63
LDCW3858XXHVYC	LDCW3858XXHVYG	38 x 58	1.7 mil	100	56

Blue Recycled Liners

ITEM		SIZE	BAG	CASE	SKID						
NUMBER			GAUGE	COUNT	COUNT						
DG404816RB	Blue HD	40 x 48	16 micron	250	56						
DG4048XHVYRB	Blue LD	40 x 48	1.2 mil	100	70						



Note: 28/cl case minimum per size. Meets standards outlined in ASTM D5511 and D5526.



NORAMCO

ROOFING WORKSHOPS REMODELING LANDSCAPING CONSTRUCTION SITES

LON

GAUINI

HEAVY DUTY

HEAVY DUTY

HEAVY DUTY APPLICATIONS

Contractor Bags

These bags are ideal for contractors who rely on quality. We guarantee they will hold the toughest trash. They are made with a blend of recycled resin and high quality virgin materials to offer superior strength and stretch. They are also ideal for landscapers, building service contractors and others who need more than a regular can liner.

42 Gallon Capacity (1581)

3 Mil Thickness (76.2pm)

2'9" x 4' (83.8cm x 1.21m)

- Proven quality and strength backed by three decades in the plastics business
- Heavy 3 mil thickness for the toughest applications
- Maximum tear and puncture resistance
- Ideal for heavy and sharp objects
- Eco-friendly and made from a blend of recycled and prime resins
- Available in 20-bag or 32-bag cases
- Twist ties included



TUFF20 and Tuff32 Contractor Bags

Product Features

- Proven quality and strength backed by three decades in the plastics business
- Heavy 3 mil thickness for the toughest applications
- Maximum tear and puncture resistance
- Ideal for heavy and sharp objects
- Made from blend of recycled and prime resins
- 20 bags or 32 bags per case
- Twist ties included
- 42 gallon capacity
- Dimensions: 2'9" x 4'

3 mil thickness for the toughest applications.

Eco-friendly and made from recycled materials.





These bags are ideal for contractors who rely on quality. We guarantee they will hold the toughest trash. They are made with a blend of recycled resin and high-quality virgin materials to offer superior strength and stretch. They are also ideal for landscapers, building service contractors, and others who need more than a regular can liner.





Taking the guesswork out of can liner sizes

TruFit Series bags are designed to fit and stretch among the four most common receptacle sizes. Save time and money buying only what you need and not spending extra on unneeded plastic. Our liners are offered in a variety of resins LLDPE, HDPE and REPRO options—all high-quality plastic with a slipfree fit.

All you need to know is gallon size when selecting the right liners with TRUFIT SERIES:

= Correct Length = Proper Overhang = Less Waste



COLORS Natural Clear Black

HDPE Great for high volumes (paper, linens, and office materials) **LLDPE** Great for heavy duty and sharp material

REPRO Performs like LLDPE



TRUFIT SIZING:

23 Gallon Container

- TruFit Series Size: 29" x 44"
- **Competitors**: 33" x 39" (13% wasted)
- 40" x 46" (45% wasted)
- 38" x 58" (74% wasted)

32 Gallon Container

- TruFit Series Size: 33" x 44"
- Competitors: 40" x 46" (26% wasted)
- 38" x 58" (50% wasted)

44 Gallon Container

- TruFit Series Size: 37" x 50"
- Competitors: 38" x 58" (18% wasted)

55 Gallon Container

TruFit Series Size: 41" x 54"

NEW! 65 Gallon Container

• TruFit Series Size: 50" x 44"

PRODUCT FEATURES:

- No more wasted plastic
- No more paying for what you don't need
- Line receptacles more efficiently and more cost effectively



 Packed on coreless rolls for easy dispensing

Manufactured of high-quality polyethylene can liners and plastic bags






TruFit Series

TruFit Series bags are designed to fit and stretch among the four most common receptacle sizes. Save time and money buying only what you need and not spending extra on unneeded plastic. Our liners are offered in a variety of resins: LLDPE, HDPE and REPRO options—all high-quality plastic with a slip-free fit.

NUMBER	WIDTH	LENGTH	COLOR	BAG GAUGE	CASE Count	CASE PACK PUT UP	MATERIAL	RECEPTACLE	
TF294414N	29	44	Natural	14 MIC	250	CORELESS	HDPE	23 GAL SLIM JIM	
TF294416N	29	44	Natural	16 MIC	250	CORELESS	HDPE	23 GAL SLIM JIM	
TF2944C	29	44	Clear	1 MIL	200	CORELESS	LLDPE	23 GAL SLIM JIM	Slim Jim 23 Gallon
TF2944HB	29	44	Black	1.2 MIL	200	CORELESS	REPRO	23 GAL SLIM JIM	HDPE LLDPE
TF334414N	33	44	Natural	14 MIC	250	CORELESS	HDPE	32 GAL ROUND	REPRO
TF334416N	33	44	Natural	16 MIC	250	CORELESS	HDPE	32 GAL ROUND	
TF3344HC	33	44	Clear	1.2 MIL	100	CORELESS	LLDPE	32 GAL ROUND	
TF3344HB	33	44	Black	1.2 MIL	100	CORELESS	REPRO	32 GAL ROUND	Round
TF375014N	37	50	Natural	14 MIC	250	CORELESS	HDPE	44 GAL ROUND	Receptacle 32, 44 and 55
TF375016N	37	50	Natural	16 MIC	250	CORELESS	HDPE	44 GAL ROUND	GALLON HDPE
TF3750HC	37	50	Clear	1.2 MIL	100	CORELESS	LLDPE	44 GAL ROUND	LLDPE REPRO
TF3750XHB	37	50	Black	1.5 MIL	100	CORELESS	REPRO	44 GAL ROUND	
TF415416N	41	54	Natural	16 MIC	200	CORELESS	HDPE	55 GAL ROUND	
TF4154XHB	41	54	Black	1.5 MIL	100	CORELESS	REPRO	55 GAL ROUND	
TF5044XHB	50	44	Black	1.5 MIL	100	CORELESS	REPRO	65 GAL KING KAN	King Kan 65 Gallon





REPRO

Medical Liners



YELLOW	YELLOW INFECTIOUS LINEN BAGS ON ROLLS (PRINTED)												
ITEM	BAG	BAG	CASE	MAX. DRY	GALLON	SKID	ROLLS/	BAGS/					
NUMBER	WIDTH / LENGTH	GAUGE	COUNT	LOAD CAP.	CAP.	COUNT	CASE*	ROLL*					
IL3339	33 39	1.30	200	65 lbs	33	63	10	20					
IL4047	40 47	1.30	150	75 lbs	45	56	10	15					

Our Yellow Infectious Linen bags are printed with a six-inch Bio-Hazard symbol, and warning message is in English and Spanish. Printing is in black ink, one side, random repeat. All bags are supplied with star seal bottoms and are packed in rugged, white corrugated cartons.

BLUE SC	BLUE SOILED LINEN BAGS ON ROLLS (PRINTED)											
ITEM	В	BAG	BAG	CASE	MAX. DRY	GALLON	SKID	ROLLS/	BAGS/			
NUMBER	WIDTH /	LENGTH	GAUGE	COUNT	LOAD CAP.	CAP.	COUNT	CASE*	ROLL*			
SL2431	24	31	1.30	200	65 lbs	12-16	84	10	20			
SL3043	30	43	1.30	150	75 lbs	45	70	10	15			
SL3750	37	50	1.30	150	70 lbs	44	56	10	15			

Our Blue Soiled Linen bags are printed with a warning message in English and Spanish. Printing is in black ink, one side, random repeat. All bags are supplied with star seal bottoms and are packed in rugged, white corrugated cartons.

RED INFECTIOUS WASTE BAGS ON ROLLS (PRINTED)

ITEM	BAG	3	BAG	CASE	MAX. DRY	GALLON	SKID	ROLLS/	BAGS/
NUMBER	WIDTH /	/ LENGTH	GAUGE	COUNT	LOAD CAP.	CAP.	COUNT	CASE*	ROLL*
IW2424	24	24	1.30	500	35 lbs	7-10	56	10	50
IW2431	24	31	1.30	250	35 lbs	12-16	70	10	25
IW3037	30	37	1.30	100	65 lbs	30	91	5	20
IW3043	30	43	1.30	200	65 lbs	30	63	10	20
IW3339	33	39	1.30	200	65 lbs	33	63	10	20
IW3848	38	48	1.30	100	70 lbs	45	70	5	20
IW4047	40	47	1.30	150	75 lbs	45	56	6	25
IW4047H	40	47	2.00	100	100 lbs	45	56	10	10

Our Red Infectious Waste bags are printed with a warning message in English and Spanish. Printing is in black ink, one side, random repeat. All bags are supplied with star seal bottoms and are packed in rugged, white corrugated cartons. **Not available for sale in all states.**

*Skid count subject to change based on shipment requirements

Why Linear Low Density?

- Great for multiple applications with sharp or jagged objects
- Whether used in an office, home or a manufacturing plant, we have a variety of sizes and thicknesses for any application



Premium C LLD



coreless roll

Product Features

- Made with prime resins
- Superior tear and puncture resistance
- Leak-proof star seal
- Packed on coreless rolls or individually folded
- Ideal for multiple applications where clear bags are needed
- Available in clear, black, and white



individually folded

*Skid count subject to change based on shipment requirements

Clear	Core	ess	Rol	

ITEM	B	AG	BAG			CASE	MAX. DRY	GALLON	SKID	ROLLS/	BAGS/
NUMBER	WIDTH	/ LENGTH	COLOR	GAUGE	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT	CASE*	ROLL*
RST2423XLC	24	23	C, W, B	0.35	1000	CORELESS	10 lbs	7-10	84	20	50
RST24236C	24	23	C, W, B	0.6	500	CORELESS	20 lbs	7-10	70	10	50
RST2432XLC	24	32	C, W, B	0.35	1000	CORELESS	10 lbs	12-16	77	20	50
RST24326C	24	32	C, W, B	0.6	500	CORELESS	20 lbs	12-16	77	10	50
RST3036LC	30	36	C, W, B	0.65	200	CORELESS	40 lbs	20-30	91	10	20
RST3036C	30	36	C, W, B	0.75	200	CORELESS	50 lbs	20-30	91	10	20
RST3036HC	30	36	C, W, B	0.9	200	CORELESS	60 lbs	20-30	84	10	20
RST3339LC	33	39	C, W, B	0.65	150	CORELESS	40 lbs	33	91	6	25
RST3339C	33	39	C, W, B	0.75	150	CORELESS	50 lbs	33	91	6	25
RST3339HC	33	39	C, W, B	0.9	150	CORELESS	60 lbs	33	84	6	25
RST3339XHC	33	39	C, W, B	1.1	250	CORELESS	80 lbs	33	63	10	25
RST3339X1C	33	39	C, W, B	1.5	100	CORELESS	90 lbs	33	84	5	20
RST3339X2C	33	39	C, W, B	2	100	CORELESS	100 lbs	33	77	10	10
RST3858LC	38	58	C, W, B	0.65	100	CORELESS	40 lbs	55	91	5	20
RST3858C	38	58	C, W, B	0.75	100	CORELESS	50 lbs	55	91	5	20
RST3858HC	38	58	C, W, B	0.9	100	CORELESS	60 lbs	55	70	5	20
RST3858XHC	38	58	C, W, B	1.1	100	CORELESS	80 lbs	55	70	5	20
RST3858X1C	38	58	C, W, B	1.5	100	CORELESS	90 lbs	55	63	5	20
RST3858X2C	38	58	C, W, B	2	100	CORELESS	100 lbs	55	49	10	10
RST4046LC	40	46	C, W, B	0.65	100	CORELESS	40 lbs	40-45	91	5	20
RST4046C	40	46	C, W, B	0.75	100	CORELESS	50 lbs	40-45	91	5	20
RST4046HC	40	46	C, W, B	0.9	100	CORELESS	60 lbs	40-45	84	5	50
RST4046XHC	40	46	C, W, B	1.1	125	CORELESS	80 lbs	40-45	70	5	25
RST4046X1C	40	46	C, W, B	1.5	100	CORELESS	90 lbs	40-45	77	5	20
RST4046X2C	40	46	C, W, B	2	100	CORELESS	100 lbs	40-45	56	10	10
RST4347LC	43	47	C, W, B	0.65	100	CORELESS	40 lbs	56	91	5	20
RST4347C	43	47	C, W, B	0.75	100	CORELESS	50 lbs	56	91	5	20
RST4347HC	43	47	C, W, B	0.9	100	CORELESS	60 lbs	56	84	5	20
RST4347XHC	43	47	C, W, B	1.1	100	CORELESS	80 lbs	56	70	5	20
RST4347X1C	43	47	C, W, B	1.5	100	CORELESS	90 lbs	56	63	5	20
RST4347X2C	43	47	C, W, B	2	100	CORELESS	100 lbs	56	56	10	10

Clear Individually Folded

ITEM BAG BAG CASE MAX. DRY GALLON SKID NUMBER WIDTH / LENGTH COLOR GAUGE COUNT PUT UP LOAD CAP. CAP. COUNT ST24236C 24 23 C, W, B 0.6 500 FOLDED 20 lbs 7-10 63 ST24326C 24 32 C, W, B 0.6 500 FOLDED 20 lbs 12-16 63 ST3036LC 30 36 C, W, B 0.65 200 FOLDED 40 lbs 20-30 91 ST3036C 30 36 C, W, B 0.75 200 FOLDED 60 lbs 20-30 91 ST3036HC 30 36 C, W, B 0.9 200 FOLDED 40 lbs 33 84 ST3339LC 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339LC 33 39 C, W, B 0.9 150 FOLDED
ST24236C 24 23 C, W, B 0.6 500 FOLDED 20 lbs 7-10 63 ST24326C 24 32 C, W, B 0.6 500 FOLDED 20 lbs 7-10 63 ST3036LC 30 36 C, W, B 0.65 200 FOLDED 40 lbs 20-30 91 ST3036C 30 36 C, W, B 0.75 200 FOLDED 50 lbs 20-30 91 ST3036C 30 36 C, W, B 0.9 200 FOLDED 60 lbs 20-30 84 ST3339LC 33 39 C, W, B 0.65 150 FOLDED 40 lbs 33 84 ST3339LC 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339LC 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339LC 33 39 C, W, B
ST24326C 24 32 C, W, B 0.6 500 FOLDED 20 lbs 12-16 63 ST3036LC 30 36 C, W, B 0.65 200 FOLDED 40 lbs 20-30 91 ST3036LC 30 36 C, W, B 0.75 200 FOLDED 50 lbs 20-30 91 ST3036C 30 36 C, W, B 0.75 200 FOLDED 50 lbs 20-30 91 ST3036HC 30 36 C, W, B 0.9 200 FOLDED 60 lbs 20-30 84 ST3339LC 33 39 C, W, B 0.65 150 FOLDED 40 lbs 33 84 ST3339LC 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339HC 33 39 C, W, B 0.9 150 FOLDED 80 lbs 33 63 ST3339X1C 33 39 C, W, B
ST3036LC 30 36 C, W, B 0.65 200 FOLDED 40 lbs 20-30 91 ST3036C 30 36 C, W, B 0.75 200 FOLDED 40 lbs 20-30 91 ST3036C 30 36 C, W, B 0.9 200 FOLDED 50 lbs 20-30 84 ST3339LC 33 39 C, W, B 0.65 150 FOLDED 40 lbs 33 84 ST3339LC 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339LC 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339HC 33 39 C, W, B 0.9 150 FOLDED 60 lbs 33 84 ST3339HC 33 39 C, W, B 1.1 250 FOLDED 80 lbs 33 63 ST3339X1C 33 39 C, W, B <td< td=""></td<>
ST3036C 30 36 C, W, B 0.75 200 FOLDED 50 lbs 20-30 91 ST3036HC 30 36 C, W, B 0.9 200 FOLDED 60 lbs 20-30 84 ST3339LC 33 39 C, W, B 0.65 150 FOLDED 40 lbs 33 84 ST3339LC 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339C 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339HC 33 39 C, W, B 0.9 150 FOLDED 60 lbs 33 84 ST3339XHC 33 39 C, W, B 1.1 250 FOLDED 80 lbs 33 63 ST3339X1C 33 39 C, W, B 1.5 100 FOLDED 90 lbs 33 84 ST3339X2C 33 39 C, W, B 2
ST3036HC 30 36 C, W, B 0.9 200 FOLDED 60 lbs 20-30 84 ST3339LC 33 39 C, W, B 0.65 150 FOLDED 40 lbs 33 84 ST3339LC 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339LC 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339HC 33 39 C, W, B 0.9 150 FOLDED 60 lbs 33 84 ST3339HC 33 39 C, W, B 1.1 250 FOLDED 80 lbs 33 63 ST3339X1C 33 39 C, W, B 1.5 100 FOLDED 90 lbs 33 84 ST3339X2C 33 39 C, W, B 2 100 FOLDED 100 lbs 33 77 ST3858LC 38 58 C, W, B 0.65<
ST3339LC 33 39 C, W, B 0.65 150 FOLDED 40 lbs 33 84 ST3339C 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339C 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339HC 33 39 C, W, B 0.9 150 FOLDED 60 lbs 33 84 ST3339XHC 33 39 C, W, B 1.1 250 FOLDED 80 lbs 33 63 ST3339X1C 33 39 C, W, B 1.5 100 FOLDED 90 lbs 33 84 ST3339X2C 33 39 C, W, B 2 100 FOLDED 100 lbs 33 77 ST3858LC 38 58 C, W, B 0.65 100 FOLDED 40 lbs 55 91 ST3858C 38 58 C, W, B 0.75
ST3339C 33 39 C, W, B 0.75 150 FOLDED 50 lbs 33 91 ST3339HC 33 39 C, W, B 0.9 150 FOLDED 60 lbs 33 84 ST3339HC 33 39 C, W, B 1.1 250 FOLDED 80 lbs 33 63 ST3339X1C 33 39 C, W, B 1.5 100 FOLDED 90 lbs 33 84 ST3339X2C 33 39 C, W, B 2 100 FOLDED 100 lbs 33 77 ST3858LC 38 58 C, W, B 0.65 100 FOLDED 40 lbs 55 91 ST3858C 38 58 C, W, B 0.75 100 FOLDED 50 lbs 55 84
ST3339HC 33 39 C, W, B 0.9 150 FOLDED 60 lbs 33 84 ST3339XHC 33 39 C, W, B 1.1 250 FOLDED 80 lbs 33 63 ST3339XHC 33 39 C, W, B 1.5 100 FOLDED 90 lbs 33 84 ST3339X2C 33 39 C, W, B 2 100 FOLDED 100 lbs 33 77 ST3858LC 38 58 C, W, B 0.65 100 FOLDED 40 lbs 55 91 ST3858C 38 58 C, W, B 0.75 100 FOLDED 50 lbs 55 84
ST3339XHC 33 39 C, W, B 1.1 250 FOLDED 80 lbs 33 63 ST3339X1C 33 39 C, W, B 1.5 100 FOLDED 90 lbs 33 84 ST3339X2C 33 39 C, W, B 2 100 FOLDED 100 lbs 33 77 ST3858LC 38 58 C, W, B 0.65 100 FOLDED 40 lbs 55 91 ST3858C 38 58 C, W, B 0.75 100 FOLDED 50 lbs 55 84
ST3339X1C 33 39 C, W, B 1.5 100 FOLDED 90 lbs 33 84 ST3339X2C 33 39 C, W, B 2 100 FOLDED 100 lbs 33 77 ST3858LC 38 58 C, W, B 0.65 100 FOLDED 40 lbs 55 91 ST3858C 38 58 C, W, B 0.75 100 FOLDED 50 lbs 55 84
ST3339X2C 33 39 C, W, B 2 100 FOLDED 100 lbs 33 77 ST3858LC 38 58 C, W, B 0.65 100 FOLDED 40 lbs 55 91 ST3858LC 38 58 C, W, B 0.75 100 FOLDED 50 lbs 55 84
ST3858LC 38 58 C, W, B 0.65 100 FOLDED 40 lbs 55 91 ST3858C 38 58 C, W, B 0.75 100 FOLDED 50 lbs 55 84
ST3858C 38 58 C, W, B 0.75 100 FOLDED 50 lbs 55 84
ST3858HC 38 58 C, W, B 0.9 100 FOLDED 60 lbs 55 70
ST3858XHC 38 58 C, W, B 1.1 100 FOLDED 80 lbs 55 70
ST3858X1C 38 58 C, W, B 1.5 100 FOLDED 90 lbs 55 63
ST3858X2C 38 58 C, W, B 2 100 FOLDED 100 lbs 55 49
ST4046LC 40 46 C, W, B 0.65 100 FOLDED 40 lbs 40-45 91
ST4046C 40 46 C, W, B 0.75 100 FOLDED 50 lbs 40-45 91
ST4046HC 40 46 C, W, B 0.9 100 FOLDED 60 lbs 40-45 84
ST4046XHC 40 46 C, W, B 1.1 125 FOLDED 80 lbs 40-45 70
ST4046X1C 40 46 C, W, B 1.5 100 FOLDED 90 lbs 40-45 77
ST4046X2C 40 46 C, W, B 2 100 FOLDED 100 lbs 40-45 56
ST4347LC 43 47 C, W, B 0.65 100 FOLDED 40 lbs 56 91
ST4347C 43 47 C, W, B 0.75 100 FOLDED 50 lbs 56 91
ST4347HC 43 47 C, W, B 0.9 100 FOLDED 60 lbs 56 84
ST4347XHC 43 47 C, W, B 1.1 100 FOLDED 80 lbs 56 70
ST4347X1C 43 47 C, W, B 1.5 100 FOLDED 90 lbs 56 63
ST4347X2C 43 47 C, W, B 2 100 FOLDED 100 lbs 56 56

C, W, B = Clear, Black, White



Recycled PGB Series

Product Features

- Earth-friendly & certified for Recycled Content
- Ideal for the toughest applications
- Superior strength and puncture resistance
- Packed on coreless rolls or individually folded
- Star seal provides extra durability





Recycl	ed P	GB Se	eries								
ITEM	BA	AG		BAG	CASE	CASE PACK	Max. Dry	GALLON	SKID	ROLLS/	BAGS
NUMBER	WIDTH /	LENGTH	COLOR	GAUGE	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT	CASE*	ROLL
PGB-2431	24	23	Black	1	500	FOLDED	40 lbs	7-10	77	10	50
PGB-3231	24	32	Black	1	500	FOLDED	40 lbs	12-16	56	10	50
PGB-4351	26	42	Black	1.5	100	FOLDED	80 lbs	30	91	5	20
PGB-3741	30	36	Black	1	250	FOLDED	65 lbs	20-30	77	10	25
PGB-3751	30	36	Black	1.5	250	FOLDED	80 lbs	20-30	56	10	25
PGB-3771	30	36	Black	1.5 EQ	200	FOLDED	75 lbs	20-30	77	10	20
PGB-4041	33	39	Black	1	250	FOLDED	65 lbs	33	63	10	25
PGB-4051	33	39	Black	1.5	100	FOLDED	80 lbs	33	84	5	20
PGB-4061	33	39	Black	2	100	FOLDED	95 lbs	33	77	10	10
PGB-4071	33	39	Black	1.50 EQ	100	FOLDED	75 lbs	33	91	5	20
PGB-4081	33	39	Black	2.00 EQ	100	FOLDED	85 lbs	33	70	10	10
PGB-6041	36	58	Black	1	100	FOLDED	65 lbs	55	70	5	20
PGB-6051	36	58	Black	1.5	100	FOLDED	80 lbs	55	63	5	20
PGB-6061	36	58	Black	2	100	FOLDED	95 lbs	55	56	10	10
PGB-6071	36	58	Black	1.50 EQ	100	FOLDED	75 lbs	55	77	5	20
PGB-6081	36	58	Black	2.00 EQ	100	FOLDED	85 lbs	55	56	10	10
PGB-6141	38	58	Black	1	100	FOLDED	65 lbs	60	70	5	20
PGB-6151	38	58	Black	1.5	100	FOLDED	80 lbs	60	50	5	20
PGB-6161	38	58	Black	2	100	FOLDED	95 lbs	60	49	10	10
PGB-6171	38	58	Black	1.50 EQ	100	FOLDED	75 lbs	60	77	5	20
PGB-6181	38	58	Black	2.00 EQ	100	FOLDED	85 lbs	60	56	10	10
PGB-4631	40	46	Black	1	100	FOLDED	65 lbs	40-45	84	5	20
PGB-4651	40	46	Black	1.5	100	FOLDED	80 lbs	40-45	77	5	20
PGB-4661	40	46	Black	2	100	FOLDED	95 lbs	40-45	56	10	10
PGB-4671	40	46	Black	1.50 EQ	100	FOLDED	75 lbs	40-45	70	5	20
PGB-4681	40	46	Black	2.00 EQ	100	FOLDED	85 lbs	40-45	63	10	10
PGB-4741	43	47	Black	1	100	FOLDED	65 lbs	56	70	5	20
PGB-4751	43	47	Black	1.5	100	FOLDED	80 lbs	56	63	5	20
PGB-4761	43	47	Black	2	100	FOLDED	95 lbs	56	56	10	10
PGB-4771	43	47	Black	1.50 EQ	100	FOLDED	75 lbs	56	70	5	20
PGB-4781	43	47	Black	2.00 EQ	100	FOLDED	85 lbs	56	63	10	10
PGB-5041	46	50	Black	1	100	FOLDED	65 lbs	60	70	5	20
PGB-4360XH	43	60	Black	1.5	100	FOLDED	80 lbs	FITZALL	56	5	20
PGB-4360XX	KH 43	60	Black	2	100	FOLDED	95 lbs	FITZALL	35	10	10
PGB-5051	46	50	Black	1.5	100	FOLDED	80 lbs	60	63	5	20

Note: Due to the recycled content properties, color may vary.

*Skid count subject to change based on shipment requirements

*Indicates roll count when ordering coreless rolls.

Add "R" in front of the item number: Example RPGB-2431



Why Repro?

- Significantly cheaper than virgin linear low density trash bags
- Strong and durable
- Popular in schools, municipalities, and anywhere else where sharp objects are being thrown away

Minimum 65% pre-consumer recycled LLDPE resin content in our 2 mil, 2 mil eq, and 1.5 mil.

25% pre-consumer recycled LLDPE resin content in our 1.5 mil eq and 1 mil.

Recycled T Series

Product Features

- Earth-friendly & certified for Recycled Content
- Reduced nominal gauge without sacrificing bag performance
- Superior strength and puncture resistance
- Packed on coreless rolls or individually folded
- Star seal provides extra durability





Recycled T Series

ITEM	B	AG		BAG	CASE	CASE PACK	MAX. DRY	GALLON	SKID	ROLLS/	BAGS
NUMBER	WIDTH	/ LENGTH	COLOR	GAUGE	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT	CASE*	ROLL
T-2423-H	24	23	Black	Heavy	500	FOLDED	55 lbs	7-10	70	10	50
Т-2432-Н	24	32	Black	Heavy	500	FOLDED	55 lbs	12-16	63	10	50
T-3036-H	30	36	Black	Heavy	250	FOLDED	55 lbs	20-30	70	10	25
T-3036-XH	30	36	Black	X-Heavy	200	FOLDED	70 lbs	20-30	70	10	20
T-3036-XXH	30	36	Black	XX-Heavy	100	FOLDED	80 lbs	20-30	84	10	10
T-3339-H	33	39	Black	Heavy	200	FOLDED	55 lbs	33	77	10	20
T-3339-XH	33	39	Black	X-Heavy	200	FOLDED	70 lbs	33	63	10	20
T-3339-XXH	33	39	Black	XX-Heavy	100	FOLDED	80 lbs	33	70	10	10
T-3658-H	36	58	Black	Heavy	100	FOLDED	70 lbs	55	77	5	20
T-3658-XH	36	58	Black	X-Heavy	100	FOLDED	70 lbs	55	70	5	20
T-3658-XXH	36	58	Black	XX-Heavy	100	FOLDED	80 lbs	55	63	10	10
T-3858-H	38	58	Black	Heavy	100	FOLDED	55 lbs	60	70	5	20
T-3858-XH	38	58	Black	X-Heavy	100	FOLDED	70 lbs	60	70	5	20
T-3858-XXH	38	58	Black	XX-Heavy	100	FOLDED	80 lbs	60	56	10	10
T-4047-H	40	46	Black	Heavy	100	FOLDED	55 lbs	40-45	84	5	20
T-4047-XH	40	46	Black	X-Heavy	100	FOLDED	70 lbs	40-45	70	5	20
T-4047-XXH	40	46	Black	XX-Heavy	100	FOLDED	80 lbs	40-45	63	10	10
Т-4347-Н	43	47	Black	Heavy	100	FOLDED	65 lbs	56	84	5	20
T-4347-XH	43	47	Black	X-Heavy	100	FOLDED	70 lbs	56	70	5	20
T-4347-XXH	43	47	Black	XX-Heavy	100	FOLDED	80 lbs	56	63	10	10
T-4360-XXH	43	60	Black	XX-Heavy	100	FOLDED	80 lbs	FITZALL	49	10	10

Note: Due to the recycled content properties, color may vary.

*Skid count subject to change based on shipment requirements

*Indicates roll count when ordering coreless rolls.

Add "R" in front of the Item number: Example RT-2423-H

*For bag gauge details email customersupport@normaco.com

Minimum 65% pre-consumer recycled LLDPE resin content in our XX-Heavy and X-Heavy. Minimum 25% pre-consumer recycled LLDPE resin content in our Heavy.





RCoEx Series

- Made from 2-ply's of prime & recycled LLDPE
- Gray and black color
- Superior stretch and tear resistance of Prime LLDPE combined with "earth-friendly" aspect of Recycled LLDPE
- Packed on coreless mini rolls

RCoEx Series

ITEM	BAG	i	BAG	CASE	Max. Dry	GALLON	SKID
NUMBER	WIDTH /	LENGTH	GAUGE	COUNT	LOAD CAP.	CAP.	COUNT
RCO-EX3036XH	30	36	Heavy	200	75 lbs	20-30	77
RCO-EX3036XXH	30	36	X-Heavy	100	90 lbs	20-30	84
RCO-EX3339XH	33	39	Heavy	200	75 lbs	33	63
RCO-EX3339XXH	33	39	X-Heavy	100	90 lbs	33	84
RCO-EX3347XH	33	47	Heavy	100	75 lbs	40-45	84
RCO-EX3658XH	36	58	Heavy	100	75 lbs	55	77
RCO-EX3658XXH	36	58	X-Heavy	100	90 lbs	55	63
RCO-EX3858XH	38	58	Heavy	100	75 lbs	55	77
RCO-EX3858XXH	38	58	X-Heavy	100	90 lbs	55	56
RCO-EX4047XH	40	47	Heavy	100	75 lbs	40-45	77
RCO-EX4047XXH	40	47	X-Heavy	100	90 lbs	40-45	63
RCO-EX4347XH	43	47	Heavy	100	75 lbs	56	77
RCO-EX4347XXH	43	47	X-Heavy	100	90 lbs	56	63

Blue Recycle Series

Blue Recycle Series

ITEM	BA	AG		BAG	CASE		GALLON	SKID	ROLLS/	BAGS/
NUMBER	WIDTH /	/ LENGTH	COLOR	GAUGE	COUNT	PUT UP	CAP.	COUNT	CASE*	ROLL*
RECY33461.2	33	46	Blue Tint	1.2 MIL	100	CORELESS	30-40	84	5	20
RECY40461.2	40	46	Blue Tint	1.2 MIL	100	CORELESS	40-45	70	5	20

*Skid count subject to change based on shipment requirements

Specialty Bags

Poly Food Storage Bags



Poly Food Storage Bags (clear)

ITEM NUMBER	BAG SIZE	BAG GAUGE	CASE COUNT
NF428	4 x 2 x 8	0.65	1000
NF4212	4 x 2 x 12	0.65	1000
NF5547519	5.5 x 4.75 x 19	0.75	1000
NF6315	6 x 3 x 15	0.70	1000
NF8418	8 x 4 x 18	0.75	1000
NF8418-H	8 x 4 x 18	1.00	1000
NF21635	21 x 6 x 35	0.90	500

Bun Rack	Covers		
SB5280	52 x 80	15 mic	50/rl



Premium HDPE Natural

Product Features

- Premium HDPE resins
- Strong HDPE film offers significant source reduction
- Packed on coreless rolls and in plain white boxes
- Excellent odor and moisture barrier
- Star seal provides extra durability
- Clear color ideal for foodservice applications



Premium HDPE Black

Product Features

- Made with a blend of Prime and Recycled resins
- Earth-friendly & significant source reduction vs. LLD
- Packed on coreless rolls
- Packed in brown "earth-friendly" boxes
- Excellent odor and moisture barrier
- Black film to hide contents

Black HDPE are cheaper than clear high density bags because they use a blend of virgin and recycled resin. They have true gauge and offer superior strength for various applications.

*Skid count subject to change based on shipment requirements

Premium HDPE Natu	

			acarc							
ITEM	B/	AG	BAG	CASE	CASE PACK	MAX. DRY	GALLON	SKID	ROLLS/	BAGS/
NUMBER	WIDTH /	LENGTH	GAUGE	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT	CASE*	ROLL*
R171806N	17	18	6	2000	CORELESS	15 lbs	4	70	40	50
R171808N	17	18	8	2000	CORELESS	20 lbs	4	70	40	50
R202206N	20	22	6	2000	CORELESS	15 lbs	7	70	40	50
R202208N	20	22	8	2000	CORELESS	20 lbs	7	70	40	50
R242406N	24	24	6	1000	CORELESS	15 lbs	7-10	70	20	50
R242408N	24	24	8	1000	CORELESS	20 lbs	7-10	70	20	50
R243306N	24	33	6	1000	CORELESS	15 lbs	12-16	70	20	50
R243308N	24	33	8	1000	CORELESS	20 lbs	12-16	70	20	50
R303708N	30	37	8	500	CORELESS	20 lbs	30	70	10	50
R303710N	30	37	10	500	CORELESS	30 lbs	30	70	10	50
R303713N	30	37	13	500	CORELESS	50 lbs	30	70	10	50
R303716N	30	37	16	500	CORELESS	75 lbs	30	70	10	50
R334008N	33	40	8	500	CORELESS	20 lbs	33	70	10	50
R334011N	33	40	11	500	CORELESS	35 lbs	33	70	10	50
R334013N	33	40	13	500	CORELESS	50 lbs	33	70	10	50
R334016N	33	40	16	250	CORELESS	75 lbs	33	70	10	25
R334017N	33	40	17	250	CORELESS	80 lbs	33	70	10	25
R334019N	33	40	19	250	CORELESS	85 lbs	33	70	10	25
R334022N	33	40	22	250	CORELESS	85 lbs	33	70	10	25
R366012N	36	60	12	200	CORELESS	45 lbs	55	70	8	25
R366014N	36	60	14	200	CORELESS	55 lbs	55	70	8	25
R366017N	36	60	16	200	CORELESS	80 lbs	55	70	8	25
R366022N	36	60	22	150	CORELESS	85 lbs	55	70	10	15
R374612N	37	46	12	250	CORELESS	45 lbs	44	70	10	25
R374614N	37	46	14	250	CORELESS	55 lbs	44	70	10	25
R374616N	37	46	16	250	CORELESS	75 lbs	44	70	10	25
R386012N	38	60	12	200	CORELESS	45 lbs	60	70	8	25
R386014N	38	60	14	200	CORELESS	55 lbs	60	70	8	25
R386016N	38	60	16	200	CORELESS	75 lbs	60	70	8	25
R386017N	38	60	17	200	CORELESS	80 lbs	60	70	8	25
R386022N	38	60	22	150	CORELESS	85 lbs	60	70	10	15
R404810N	40	48	10	250	CORELESS	30 lbs	40-45	70	10	25
R404812N	40	48	12	250	CORELESS	45 lbs	40-45	70	10	25
R404814N	40	48	14	250	CORELESS	55 lbs	40-45	70	10	25
R404816N	40	48	16	250	CORELESS	75 lbs	40-45	70	10	25
R404817N	40	48	17	250	CORELESS	80 lbs	40-45	70	10	25
R404819N	40	48	19	200	CORELESS	85 lbs	40-45	70	8	25
R404822N	40	48	22	150	CORELESS	85 lbs	40-45	70	10	15
R434812N	43	48	12	200	CORELESS	45 lbs	56	70	8	25
R434814N	43	48	14	200	CORELESS	55 lbs	56	70	8	25
R434816N	43	48	16	200	CORELESS	75 lbs	56	70	8	25
R434817N	43	48	17	200	CORELESS	80 lbs	56	70	8	25
R434822N	43	48	22	150	CORELESS	85 lbs	56	70	10	15
R486024N	48	60	24	100	CORELESS	90 lbs	63	70	10	10

Extra Strong HDPE Black

ITEM	BA	AG		BAG	CASE	CASE PACK	MAX. DRY	GALLON	SKID
NUMBER	WIDTH /	LENGTH	COLOR	GAUGE	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT
R334013K	33	40	Black	13	500	CORELESS	50 lbs	33	70
R334016K	33	40	Black	16	250	CORELESS	75 lbs	33	70
R374614K	37	46	Black	14	250	CORELESS	55 lbs	44	70
R374616K	37	46	Black	16	250	CORELESS	75 lbs	44	70
R386014K	38	60	Black	14	200	CORELESS	55 lbs	60	70
R386016K	38	60	Black	16	200	CORELESS	80 lbs	60	70
R386022K	38	60	Black	22	150	CORELESS	85 lbs	60	70
R404814K	40	48	Black	14	250	CORELESS	55 lbs	45	70
R404816K	40	48	Black	16	250	CORELESS	75 lbs	45	70
R404819K	40	48	Black	19	200	CORELESS	85 lbs	45	70
R404822K	40	48	Black	22	150	CORELESS	85 lbs	45	70
R434814K	43	48	Black	14	200	CORELESS	55 lbs	56	70
R434816K	43	48	Black	16	200	CORELESS	75 lbs	56	70
R434822K	43	48	Black	22	150	CORELESS	85 lbs	56	70



Competitor HDPE Series

Product Features

- Premium HDPE resins
- Strong HDPE film offers significant source reduction
- Packed on coreless rolls and in plain white boxes
- Excellent odor and moisture barrier
- Star seal provides extra durability
- Clear color ideal for foodservice applications

Why Nominal High Density?

- Reduces landfill waste by over 10%
- Industry standard tolerances on gauge and size to compete with imports
- Series is 10% less of the gauge
- Quality raw materials and manufacturing process ensures reliability



High Density Liners on Rolls

ITEM	BA	G	BAG	CASE	CASE PACK	MAX. DRY	GALLON	SKID	ROLLS/	BAGS/
NUMBER	WIDTH /	LENGTH	GAUGE	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT	CASE*	ROLL*
CSR242406N	24	24	6 Eq	1000	CORELESS	15 lbs	7-10gal	70	20	50
CSR242408N	24	24	8 Eq	1000	CORELESS	20 lbs	7-10gal	70	20	50
CSR243306N	24	33	6 Eq	1000	CORELESS	15 lbs	12-16	70	20	50
CSR243308N	24	33	8 Eq	1000	CORELESS	20 lbs	12-16	70	20	50
CSR303710N	30	37	10 Eq	500	CORELESS	30 lbs	30	70	10	50
CSR303713N	30	37	13 Eq	500	CORELESS	50 lbs	30	70	10	50
CSR303716N	30	37	16 Eq	500	CORELESS	75 lbs	30	70	10	50
CSR334011N	33	40	11 Eq	500	CORELESS	35 lbs	33	70	10	50
CSR334013N	33	40	13 Eq	500	CORELESS	50 lbs	33	70	10	50
CSR334016N	33	40	16 Eq	250	CORELESS	75 lbs	33	70	10	25
CSR334017N	33	40	17 Eq	250	CORELESS	80 lbs	33	70	10	25
CSR334019N	33	40	19 Eq	250	CORELESS	85 lbs	33	70	10	25
CSR334022N	33	40	22 Eq	250	CORELESS	85 lbs	33	70	10	25
CSR366011N	36	60	11 Eq	200	CORELESS	35 lbs	55	70	8	25
CSR366012N	36	60	12 Eq	200	CORELESS	45 lbs	55	70	8	25
CSR366014N	36	60	14 Eq	200	CORELESS	55 lbs	55	70	8	25
CSR366017N	36	60	16 Eq	200	CORELESS	80 lbs	55	70	8	25
CSR366022N	36	60	22 Eq	150	CORELESS	85 lbs	55	70	10	15
CSR374612N	37	46	12 Eq	250	CORELESS	45 lbs	44	70	10	25
CSR374614N	37	46	14 Eq	250	CORELESS	55 lbs	44	70	10	25
CSR374616N	37	46	16 Eq	250	CORELESS	75 lbs	44	70	10	25
CSR386012N	38	60	12 Eq	200	CORELESS	45 lbs	60	70	8	25
CSR386014N	38	60	14 Eq	200	CORELESS	55 lbs	60	70	8	25
CSR386017N	38	60	17 Eq	200	CORELESS	80 lbs	60	70	8	25
CSR386022N	38	60	22 Eq	150	CORELESS	85 lbs	60	70	10	15
CSR404810N	40	48	10 Eq	250	CORELESS	30 lbs	40-45	70	10	25
CSR404812N	40	48	12 Eq	250	CORELESS	45 lbs	40-45	70	10	25
CSR404814N	40	48	14 Eq	250	CORELESS	55 lbs	40-45	70	10	25
CSR404816N	40	48	16 Eq	250	CORELESS	75 lbs	40-45	70	10	25
CSR404817N	40	48	17 Eq	250	CORELESS	80 lbs	40-45	56	10	25
CSR404819N	40	48	19 Eq	200	CORELESS	85 lbs	40-45	70	8	25
CSR404822N	40	48	22 Eq	150	CORELESS	85 lbs	40-45	70	10	15
CSR434814N	43	48	14 Eq	200	CORELESS	55 lbs	56	70	8	25
CSR434816N	43	48	16 Eq	200	CORELESS	75 lbs	56	70	8	25
CSR434817N	43	48	17 Eq	200	CORELESS	80 lbs	56	70	8	25
CSR434822N	43	48	22 Eq	150	CORELESS	85 lbs	56	70	10	15
CSR486024N	48	60	24 Eq	100	CORELESS	90 lbs	63	70	10	10



*Skid count subject to change based on shipment requirements



Value HDPE Natural

Product Features

- Premium HDPE resins
- Industry standard tolerance to reduce waste
- Strong HDPE film offers significant source reduction
- Packed on coreless rolls and in plain white boxes

Excellent odor and moisture barrier



- Clear color ideal for foodservice applications
- Star seal provides extra durability

Why Value High Density?

Reduces landfill waste by over 10%



- Industry standard tolerances on gauge and size to compete with imports!
- Quality raw materials and manufacturing process ensures reliability

Value HDPE Natural

ITEM	BAG	3		CASE	CASE PACK	MAX. DRY	GALLON	SKID
NUMBER	WIDTH /	LENGTH	COLOR	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT
RCH303710N	30	36	Natural	500	CORELESS	30 lbs	30	70
RCH303713N	30	36	Natural	500	CORELESS	50 lbs	30	70
RCH303716N	30	36	Natural	500	CORELESS	75 lbs	30	70
RCH334016N	33	39	Natural	250	CORELESS	75 lbs	33	70
RCH334017N	33	39	Natural	250	CORELESS	80 lbs	33	70
RCH386014N	38	58	Natural	200	CORELESS	55 lbs	60	70
RCH386016N	38	58	Natural	200	CORELESS	80 lbs	60	70
RCH386022N	38	58	Natural	150	CORELESS	85 lbs	60	70
RCH404812N	40	46	Natural	250	CORELESS	45 lbs	45	70
RCH404814N	40	46	Natural	250	CORELESS	55 lbs	45	70
RCH404816N	40	46	Natural	250	CORELESS	75 lbs	45	70
RCH434812N	43	46	Natural	200	CORELESS	45 lbs	56	70
RCH434814N	43	46	Natural	200	CORELESS	55 lbs	56	70
RCH434816N	43	46	Natural	200	CORELESS	75 lbs	56	70





Capabilities

HDPE Product Capabilities

Custom Products Pallet Covers & Gaylord

Liners: These products can be manufactured out of Black Repro or Prime LLD resin.

Box Liners: Liners are made from linear low and high density resins, and can be used in industrial, food processing, and retail applications.

Other Products: These include drum liners, ASBESTOS bags, tubing and sheeting, dough bags, and more.

Materials: LLDPE, Hexene, HDPE, Blends, Additives Recycled/Pre-Consumer, Tints & Colors

*All Custom Products are made to order and minimum quantities apply.

PRODUCT	Mono Layer Width Min-Max	Mono Layer Gauge Min-Max
Sleeves, Tubing and Flat Tubular w/o Seal		
3" Cores	30-43"	14 mic to 33 mic
GUSSETED BAGS Min Gusset Size		
4"	30-48"	14 mic to 33 mic
GUSSETED TUBING Min Gusset Size		
4"	30-48"	14 mic to 33 mic
STAR SEAL		
Coreless	17-55"	6 mic to 33 mic
STAR SEAL		
Individually Folded	30-43"	10 mic to 33 mic
ADDI	TIONAL CAPABIL	ITIES
VENTED		
Star Seal	33-55"	14 mic to 33 mic
GUSSETED SEAL	38-48"	14 mic to 33 mic
Flat Seal	38-43"	14 mic to 33 mic
3" Core		14 mic to 33 mic
PRINT		
Flat	24-30"	10 mic+
Star Seal	33-43"	14 mic+

HDPE Product Capabilities

HDPE Produ	ict Capabili	ities
CAPABILITY	DESCRIPTION	HDPE
Sleeves, Tubing and	Width Min	30"
Flat Tubular w/o Seal	Width Max	43"
3" Core	Gauge Min	14 mic
	Gauge Max	33 mic
GUSSETED BAGS	Width Min	30"
Min Gusset Size	Width Max	48"
4"	Gauge Min	14 mic
	Gauge Max	33 mic
GUSSETED TUBING	Width Min	30"
Min Gusset Size	Width Max	48"
4"	Gauge Min	14 mic
	Gauge Max	33 mic
STAR SEAL	Width Min	17"
Coreless	Width Max	55"
	Gauge Min	6 mic
	Gauge Max	33 mic
STAR SEAL	Width Min	30"
Individually Folded	Width Max	43"
	Gauge Min	10 mic
BAG LENGTH	Size Min	17"
GUSSETED AND FLAT		
3" Core	.6 mil to 2 mil	24-38"
LLDPE/ALL		
Star Seal	.6 mil to 2 mil	38"+
LLDPE/ALL		
Gusset	.6 mil to 2 mil	38"+ / 3" Core
Flat	.6 mil to 3 mil	38"+ / 3" Core















Sleeve



Tubular Bags

Center Fold Bags Center Slit Gusseted **Gusseted Bags**





Lay Flat Tubing

Center-Slit Film

LLDPE Product Capabilities

LLDPE Product Canabilities

	indes i				
	MONO LAYER	MONO LAYER	CO-EX	CO-EX	
PRODUCT	WIDTH MIN-MAX	GAUGE MIN-MAX	WIDTH	GAUGE	NOTES
Flat Seal Bags	17 - 66"	.90 mil to 8 mil	30 - 51"	.90 mil to 7 mil	Flat Over 55" Cored Roll
Center Fold Bags	18 - 66"	.90 to 7 mil	30 - 51"	.90 mil to 7 mil	
Gusseted Seal Bags	4" x 2" x 8" - 104"	.65 mil to 8 mil	30 - 51"	.65 mil to 6 mil	66" Max Face Width
Star Seal Bags	20 - 72"	.45 mil to 2 mil	30 - 51"	.55 mil to 2 mil	
Tubing, Center Slit Film	18 - 104"	1 mil to 7 mil	30 - 51"	1 mil to 7 mil	66" Max Face Width
Food Bags	4" x 2" x 8" - 21" x 6" x 35"	.65 mil to 2 mil	N/A	N/A	
ADDITIONAL CAPABILITIES	REPEAT STYLE	DIMENSION CAPACITIES			
Pin Hole	Random	66" Face Width Max			
Vented	Random & Registered	56" Face Width Max			
Printed	Random	17 - 60" Film;			
		Print Face Max: 17 x 40"			
		Print Repeat 20"			



Let us help you grow your can liner sales.

Interested in receiving a quote or samples?

Please visit our website to submit a form and we'll get things processed for you.

Questions? Contact our leadership team.

- James Popela, CEO
- Steve Marcum, VP of Operations, smarcum@noramcobag.com
- Tom Nichols, Sales Manager, tom.nichols@noramcobag.com
- Steve Pettrey, Sales Representative, steve.pettrey@noramcobag.com
- James Keaton, CFO, james.keaton@noramcobag.com
- Customer Support, customer.support@noramcobag.com









American Made Quality at prices that beat the imports



- Green Earth Can Liners
- PGB Series and T Series liners
- Environmentally preferable
- Blended recycled LLDPE can liners

North American Plastics & Chemicals

Manufacturers of High Quality Polyethylene Can Liners & Plastic Bags

1400 East 222nd Street Euclid, Ohio 44117 Ph: 216.531.3400 Fax: 216.531.3401 customersupport@noramcobag.com www.noramcobag.com



